



STAIR NOTES:

- USE SAME LEVELING PAD MATERIAL FOR STAIR PEDESTAL AS RETAINING WALL
- CONSTRUCT STAIR RISERS FIRST, INSTALL CAPS FOR TREADS SECOND, AND THEN INSTALL SIDEWALLS LAST
- DO NOT PIN STAIR UNITS
- CONSTRUCT BASE PEDESTAL IN 4 TO 5 RISER INCREMENTS
- STACK SIDEWALLS VERTICALLY, WITHOUT PINNING
- SEE VERSA-LOK TECH BULLETIN 2 FOR ADDITIONAL STAIR CONSTRUCTION DETAILS

STAIR RISER DETAIL

BASE PEDESTAL METHOD

SCALE: NONE

THESE PRELIMINARY DETAILS ARE INTENDED AS AN AID IN DESIGNING ATTRACTIVE, DURABLE RETAINING WALLS WITH VERSA-LOK UNITS. FINAL DETERMINATION OF THE SUITABILITY OF ANY INFORMATION OR MATERIAL FOR THE USE CONTEMPLATED, AND ITS MANNER OF USE, IS THE SOLE RESPONSIBILITY OF THE USER. A FINAL PROJECT SPECIFIC DESIGN SHOULD BE PREPARED BY A QUALIFIED, LICENSED, PROFESSIONAL ENGINEER.



VERSA-LOK®
Retaining Wall Systems

(800)770-4525 fax(651)770-4089
6348 Hwy36 Ste1, Oakdale, MN 55128 **Solid Solutions™**

VERSA-LOK STANDARD DETAILS

STAIR RISER DETAIL

SCALE: 1/2"=1'

DRAWN BY: PPS

CHECKED BY:

DATE: 10/2007

DWG. NO. strnd stair riser detail